



FRMBC2L - Flame Resistant (FR) Safety Vest

- FR Solid Modacrylic/Aramid blend fabric, fluorescent lime
- ANSI/ISEA 107-2015 Class 2, Type R compliant
- 2" Silver FR Reflective Stripes
- 5 Point Break Away feature, Hook and Loop closures
- Conforms to NFPA 70E, HRC1, arc rating 5.4 cal/cm2, meets ASTM F1506
- Size M-4XL



JACKSON

Jackson 25646 V10 UNISPEC II

- Clear Frame, Clear Lens
- Metal-free design with screw-less hinges
- ANSI Z87.1+ standard for impact protection
- Polycarbonate lenses provide 99.9% UVA / UVB / UVC protection
- 12/bx



JACKSON

Jackson V30 Nemesis

- Sporty, flexible, lightweight design w/wraparound, 8-base curve lens
 - Soft-touch temples for added comfort
 - Meets ANSI Z87.1+2010 High Impact standard
 - 12/bx
- 25679 Black Frame, Clear Anti-Fog Lens
25688 Black Frame, Smoke Mirror Lens
14481 Black Frame, Blue Mirror Lens



SURVCL3L Safety Vest, Surveyor Class 3

- ANSI/ISEA 107-2015 Class 3, Type R compliant
- Surveyor style, fluorescent lime mesh, 5 point break away
- Hook and loop closures
- 3" Silver/Orange reflective stripes
- Mic-tab holder, 4 outer pockets
- Size M-4XL



GloWear® 8205HL Type R Class 2 Super Econo Mesh Vest

- Class 2 Super Econo Vest
- ANSI-compliant polyester mesh (3.3oz)
- Hook and loop closure
- 2" ANSI-compliant reflective
- Size: L/XL



ProFlex® 100 Economy Spandex Back Support

- Economical spandex body
- Non-conductive polypropylene stays
- 280D spandex body material
- Adjustable, detachable suspenders
- Rubber track webbing
- Sizes: M-XL



JACKSON

Jackson 25627 V10 Element

- Clear Frame, Clear Lens
- Metal-free design with screw-less hinges
- Meets ANSI Z87.1+2015 standards for personal eye protection
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection
- 12/bx

What's Inside:

Eye Protection	2
Hearing Protection	3
Air Horns	3
Fall Protection	4-5
Fall Protection for Tools	5
Hand Protection	6-7
Disposable Clothing	7
Respiratory	8-9
Head & Face Protection	10
Heat Stress	11
Lighting	11
Cleaners	12
First Aid	12
Water Safety	12

EYE PROTECTION

bolle
SAFETY

Bollé Rush

- Upper protection
- Adjustable non-slip bridge
- Non-slip temples
- Superior optics
- 1/ea

40070 Clear Frame, Clear Lens

40071 Smoke Frame, Smoke Lens

40072 Twilight Frame, Twilight Lens

NEW!

bolle
SAFETY

Bollé Rush+

- Scratch and fog resistant Platinum® coating
- Adjustable non-slip bridge
- Co-injected, ultra-pliable and bi-color temples
- Superior optics
- 1/ea

40208 Grey/Black Frame, Smoke Lens

40209 Grey/Black Frame, CSP Lens

Honeywell
UVEK

Uvex Genesis

- Ultra-dura anti-scratch coated lens
- Unparalleled comfort, protection and style
- Soft elastomer browguard diffuses and deflects impact
- Meets ANSI Z87+ (High Impact)
- 1/ea

S3200 Black Frame, Clear Lens

S3201 Black Frame, Espresso Lens

S3240 Vapor Blue Frame, Clear Lens

MCR

DM1310P Dominator™ 3

- Gun Metal Color Frame, Red TPR, Clear Max3™
- Anti-Scratch lens coating
- Co-injected wire core independently adjustable nose pads
- Co-injected soft wire core adjustable TPR temples
- Meets or Exceeds Z87+ & Military High Velocity
- 1/ea

MCR

UD110PF USS Defense®

- Clear lens, Gunmetal Color Frame, MAX6™
- Superior Anti-Fog Coating
- Entire Series Meets Military Ballistic High Velocity Standard
- MAX6™ Mirror lens coating
- Sleek Co-Injected TPR over polycarbonate temples
- 1/ea

Honeywell
UVEK

Uvex S3300X Genesis XC

- Black Frame, Clear Lens, Uvextreme Anti-fog Coating
- Unparalleled comfort, protection and style
- Adjustable temple length and lens inclination
- Meets ANSI Z87+ (High Impact)
- 1/ea

3M

3M™ SecureFit™ Protective Eyewear

- 3M™ Pressure Diffusion Technology
- Secure, snug fit
- Clear Anti-fog Lens
- 1/ea

SF201AF Clear Frames, Clear Lens

SF401AF Black/Green Frames, Clear Lens

3M

3M™ Smart Lens™ 13407-00000-5 Protective Eyewear

- Photochromic lenses darken and lighten as the outdoor light changes
- Spring-adjusted temples allow for a flexible fit on narrow or wide faces
- Strong frame with magnesium alloy temples provides durability
- 1/ea

3M

3M™ Virtua™ V4 11672-00000-20 Protective Eyewear

- Black/Gray Frames, Clear Lens
- Unisex Styling
- Soft, dual-injected temples
- Wrap-around lens
- 1/ea

3M

3M™ Virtua™ CCS Protective Eyewear w/Foam Gasket

- Removable, Foam-Lined Gasket
 - Corded Earplug Control System
 - 1/ea
- 11872-00000-20 Clear Anti-Fog Lens
- 11873-00000-20 Gray Anti-Fog Lens

3M

3M™ Virtua™ 11329-00000-20 Protective Eyewear

- Clear Frames, Clear Lens
- Unisex style
- Wraparound coverage
- Unobstructed viewing range
- 1/ea

HEARING PROTECTION



3M

3M™ E-A-R™ Classic™ Earplugs

- Slow-recovery earplug foam is flame-resistant and moisture-resistant
- NRR 29 dB
- 310-1001 Classic, uncorded, pillow pack 200pr/bx
- 311-1101 Classic, corded, poly bag 200pr/bx



3M

3M™ E-A-R™ Pistonz™ Earplugs

- Cylindrical shape fits most ears comfortably
- Push-to-fit stem flexes sideways if impacted during wear
- NRR 29 dB
- P1400 Pistonz, uncorded 100pr/bx
- P1401 Pistonz, corded 100pr/bx



3M

3M™ E-A-R™ Skull Screws™ Earplugs

- Tough look of threaded metal
- Soft foam tips feel comfortable for extended wear
- Cutting-edge look and comfort may increase worker compliance in wearing hearing protection
- NRR 32 dB
- P1300 Skull Screws, uncorded 120pr/bx
- P1301 Skull Screws, corded 120pr/bx



MOLDEX

Moldex 6130 MX-6 Earmuff

- Over the head ear muffs
- Extra soft foam/low pressure cushions and headband are PVC-Free
- Soft cushion-ribbed open air headband for cool comfort all day long
- NRR 30
- 1/ea



MOLDEX

Moldex Glide® Twist In Foam Earplugs-NRR30

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- NRR 30
- 6940 Glide, Uncorded 100pr/bx
- 6945 Glide, Corded 100pr/bx



MOLDEX

Moldex 6445 Glide®

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- Soft triple flange plug can be washed and reused
- 100% PVC-Free®
- NRR 27
- 50pr/bx



3M

3M™ H10A Peltor™ Optime™ 105 Earmuffs

- Over the head ear muffs
- "Double-shell" earcup design
- Liquid foam-filled cushions provide good seal and low surface pressure
- NRR 30
- 1/ea



MOLDEX

Moldex SparkPlugs® Foam Earplugs

- Extra-soft, low-pressure foam for comfort and fit
- Tapered shape for easy insertion and removal
- 100% PVC-Free®
- NRR 33
- 6604 SparkPlugs, Uncorded 200pr/bx
- 6654 SparkPlugs, Corded 100pr/bx

AIR HORNS

NEW!

GREAT FOR JOB SITES

FIAMM

FIAMM 65805 Mega Blast Siren Horn

- Rechargeable via the included USB plug and adapter
- Extremely loud: 122dB
- Weatherproof & shock resistant solid state electronics
- Meets U.S. Coast Guard requirements
- No need to replace air canisters, or carry an air pump to re-fill
- 1/ea



FIAMM

FIAMM 6580823 Big Horn Air Horn

- Environmentally friendly
- Output of 125 decibels, at 1 meter
- Meets all coast guard requirements
- 12/cs



FALL PROTECTION

Honeywell
MILLER



Miller Revolution RDT-QC/UBK Harness

- Clip-on design safely organizes webbing after proper adjustment
- Unique rotary design provides greater comfort in bending/mobility
- Semi-flexible back shield minimizes impact from sharp/heavy snap hooks and self-retracting lifelines
- Easy, one-hand adjustment/release allows simultaneous adjustment of shoulder straps
- Integrated pack encapsulates labels minimizing damage and loss
- Modular attachment design provides connection points for belts/tools/accessories

Sizes: Large-XL More sizes Available

Honeywell
MILLER



Miller AirCore™ AC-QC-D/UGN Harness

- Unique breathable, open-core padding technology provides optimal airflow and reduces heat
- Contoured design minimizes contact around the neck, lower back and inner thighs reducing chafing and irritation
- Patented DuraFlex Stretchable Webbing
- Stand-up back D-ring and side D-rings for positioning
- Quick-Connect Chest Buckle
- Materials and components selected to reduce fatigue for all-day endurance and increased productivity

Sizes: Large-XL More sizes Available



MSA
The Safety Company

Workman® 10077571 Construction Harness

- Yellow polyester webbing for increased visibility
- Color-contrasting thigh and torso straps simplify donning
- Choice of Qwik-Fit™ or Bayonet leg straps for easy adjustment
- Web retainer collars to keep excess webbing neat
- Integral lumbar support pad for work positioning and comfort.

Sizes: Large-XL More sizes Available



3M **SALA** **PROTECTA**
Fall Protection

3M™ PROTECTA® PRO™ 1191210 Construction Style Positioning Harness

- Back D-ring
- Body belt/hip pad with side D-rings
- Tool and equipment rings
- Tongue buckle leg straps
- Parachute torso adjusters
- Durable polyester web construction
- Built-in lanyard keepers

Sizes: Large-XL More sizes Available



3M **SALA**
Fall Protection

Exofit Strata™ 1112538 Construction Style Positioning Harness

- LIFTech™ weight distribution system
- EZ-Link™ SRL adapter
- Tri-Lock Revolver™ quick connect buckles
- Stand-up Tech-Lite™ aluminum dorsal D-ring
- Body belt/hip pad with thermoformed EVA padding and Tech-Lite™ aluminum side D-rings
- Revolver™ vertical torso adjusters
- Integrated suspension trauma straps
- Protected labels, equipped with i-Safe™

Sizes: Large-XL More sizes Available



3M **SALA** **PROTECTA**
Fall Protection

3M™ PROTECTA® First™ AB17550 Vest-Style Harness

- Back D-ring
- Tongue buckle leg straps
- Parachute torso adjusters
- Durable polyester web construction

Sizes: Large-XL More sizes Available



3M **SALA**
Fall Protection

Delta™ 1101655 Construction Style Positioning Harness

- No-tangle design
- Stand-up back D-ring
- Body belt/hip pad with side D-rings
- Tongue buckle leg straps
- Repel™ webbing
- Built-in lanyard keepers
- Revolver™ vertical torso adjusters
- Protected labels, equipped with i-Safe™

Sizes: Large-XL More sizes Available

FALL PROTECTION



3M



Fall Protection
for Tools

3M™ DBI-SALA® 3101225 Nano-Lok™ Quick Connect Self Retracting Lifeline, Web

- Built-in connector for single-leg SRL direct attachment to harness
- 6' 3/4" Dyneema® fiber and polyester web lifeline
- Aluminum self-locking carabiner on lifeline
- Extremely compact, lightweight design
- 1/ea



3M



Fall Protection
for Tools

3M™ DBI-SALA® Nano-Lok™ 3500210 Edge Quick Connect Self Retracting Lifeline

- Designed for foot-level tie-off and sharp edge applications
- Built-in connector for single-leg SRL direct attachment to harness
- 8 ft. lifeline with 3/16" galvanized steel cable lifeline
- 1/ea



3M



Fall Protection
for Tools

3M™ DBI-SALA® Nano-Lok™ 3500231 Edge Twin-Leg Quick Connect Self Retracting Lifeline

- Designed for foot-level tie-off and sharp edge applications
- Built-in connector for twin-leg SRL direct attachment to harness
- 8 ft. lifeline with 3/16" galvanized steel cable lifeline
- 1/ea



3M



Fall Protection
for Tools

3M™ PROTECTA® PRO™ 1341001 Pack Shock Absorbing Lanyard

- 6 ft. single-leg lanyard
- Lightweight user friendly design
- PVC shock pack with protected label
- Abrasion resistant polyester webbing
- 1/ea



3M



Fall Protection
for Tools

3M™ PROTECTA® PRO™ 1340161 Stretch 100% Tie-Off Shock Absorbing

- 6 ft. double-leg 100% tie-off single-leg lanyard
- Stretches in reaction to your movements
- Abrasion resistant polyester tubular webbing
- User friendly self locking snap hook at center
- 1/ea



3M



Fall Protection
for Tools

3M™ DBI-SALA® ShockWave™2 1244306 Shock Absorbing Lanyard

- 6 ft. single-leg lanyard
- Stretches in reaction to your movements
- Abrasion resistant polyester tubular webbing
- User friendly self locking snap hooks at each end
- 1/ea



3M



Fall Protection
for Tools

3M™ DBI-SALA® 2108406 Fixed Beam Anchor

- Installs onto 2.5" to 12" wide I-beam flange up to 1.5" thick
- Attach in any orientation or direction
- Compact and lightweight design
- High strength steel and aluminium construction
- 1/ea



3M



Fall Protection
for Tools

3M™ DBI-SALA® 2104560 Concrete D-ring Anchor

- Installs into 18 mm concrete hole
- Use vertically in wall or horizontally in ceiling
- Install as temporary or permanent anchor
- Reusable D-ring assembly - extra bolts available
- 1/ea

TOOL FALL PROTECTION



3M



Fall Protection
for Tools

3M™ DBI-SALA® 1500009 D-Ring Attachment w/Cord

- D-ring attachment point with cord
- Extremely lightweight and compact
- Durable and reusable
- Simple installation to most tools
- 10/cs



3M



Fall Protection
for Tools

3M™ DBI-SALA® 1500107 Dual Tool Holster with 2 Retractors Belt

- High Visibility Reflectors
- Magnetic tool staging system holds tools in place
- 2 neoprene pockets with retractors
- Bottom drain vent
- 1/ea



3M



Fall Protection
for Tools

3M™ DBI-SALA® 1500022 Heat Shrink

- 2"x 4"
- Apply heat to shrink
- Protects Python Safety™ Quick Wrap Tape
- Other sizes available
- 10/cs



3M



Fall Protection
for Tools

3M™ DBI-SALA® 1500119 Small Parts Pouch

- Innovative self-closure system
- Can be used from a belt or harness
- Made from 18 oz duck canvas
- Black
- 1/ea



Squids® 3100 Single Carabiner Tool Lanyard - 10lbs

- Energy absorbing cord with tubular nylon webbing
- Single action aluminum carabiner
- Captive eye carabiner
- Reflective accent for higher visibility
- Lock stitching at both ends for extra security
- Maximum safe working capacity: 10lbs
- Third-party certified to a 2:1 safety factor
- Standard:** 35in - 42in
- Extended:** 42in - 54in

HAND PROTECTION



Ansell

Ansell 11-801 Hyflex®

- Black Foam Nitrile
- Patented Knitted Variable Stitch Design (KVSD)
- Advanced technology for relaxed fit in high stress areas
- Industrial-friendly color hides dirt and grime, increasing time between laundry cycles
- Precision, dexterity and flexibility
- 12/pk
- Size 6-10 (More sizes available)



1414

- Top grain pearl Cowhide palm, bourbon cowhide split leather back
- Unlined
- Keystone thumb
- Double stitching on forefinger provides extra strength
- 1/pr
- Size M-XL (More sizes available)



INDI-KC5G Industrial Impact Knit Cut 5 Grip

- Foamed-Nitrile palm is high viz and padded for impact absorption
- Open-cell foamed nitrile coating – proprietary formulation for grip in fluids
- Padded, hi-viz foamed-nitrile palm
- EN388 cut level 5 out of 5
- 1/pr
- Size S-2XL (More sizes available)



1464

- Top grain Cowhide palm with added Cowhide split palm, thumb, and index finger
- Palm, index finger and thumb all sewn with Kevlar® thread for strength and heat resistance
- Rollover index finger works great for spot welding
- 1/pr
- Size M-XL (More sizes available)



PD2903 Predator

- D30 impact and vibration reducing palm padding
- Brown 2 way spandex fabric back
- Full Patent Pending tire tread TPR on back of hand
- Hook and loop closure with ID panel
- Synthetic leather fourchettes for breathability and comfort
- 1/pr
- Size M-XL (More sizes available)



1470

- Top grain Goatskin construction for the best dexterity
- Leather and spandex design will outlast and outperform all-synthetic high dexterity gloves
- Rough side out double palm for longer life and better gripping power
- 1/pr
- Size M-XL (More sizes available)



MP4X-75 Material4X M-Pact

- Patented Impact Guard™ protects the first knuckle with EVA foam padding.
- Thermoplastic Rubber (TPR) knuckle guards and full-length fingertip protection reduce the risk of impact and pinching injuries.
- D30® palm padding absorbs and dissipates high-impact energy through the palm.
- 1/pr
- Size M-XL (More sizes available)



1475

- Thicker, gold Top grain Cowhide construction for longer lasting performance
- Spandex back for precision fit
- Leather and spandex design will outlast and outperform all-synthetic high dexterity gloves
- 1/pr
- Size L-XL (More sizes available)



MG4X-75 Material4X Original

- Seamless Material4X® palm delivers higher abrasion resistance and greater tear resistance than standard synthetic gloves.
- Form-fitting TrekDry® material helps keep hands cool and comfortable.
- Reinforcement panels in high wear areas provide added durability.
- 1/pr
- Size L-XL (More sizes available)



1490

- TrueFit™ Ultra offers more reinforcement, durability and comfort
- A Top grain gold/pearl Goatskin double palm and thumb
- Double reinforced finger tips
- Longer elastic cuff for added support and protection
- 1/pr
- Size L-XL (More sizes available)

HAND PROTECTION



JACKSON SAFETY* G60 Purple Nitrile Cut Resistance Gloves

- Enhanced dexterity, grip and comfort
- For industrial employees who need protection against hand cuts
- Made of Dyneema fabric, an extremely strong fiber
- Provide a high level of cut resistance ANSI Level 3
- Size 7-10 (More sizes available)



SHOWA 306

- Engineered full foam aerated latex coating, extra grip coating on palm
- Breathable coating technology
- Breathable 13 gauge liner
- Anatomical hand shape design
- Size S-2XL (More sizes available)



FlexTech™ Y9216 with Sandy Nitrile Palm

- Seamless machine knit cut resistant shell provides all-day comfort and protection
- Sandy nitrile palm coating delivers improved grip in wet and oily applications
- Machine washable for longer service life
- ANSI Cut Level 5, A7
- Size M-2XL (More sizes available)



SHOWA 377

- Fully coated, extra coating on palm
- Reinforced knit cuff, scalloped edge
- Standard finish
- Without special treatment
- Anatomical shape
- Size S-2XL (More sizes available)



FlexTech™ Y9239 Hi-Vis Synthetic Shell with Latex Palm

- Hi-Vis green light weight synthetic knit shell
- Latex palm provides outstanding grip
- Knit wrist construction prevents dirt and debris from directly contacting the hand
- Size S-XL (More sizes available)



6651 Raven™ Black Nitrile Gloves

- Powder-free exam grade nitrile
- Thickness: 6mil
- Non-latex
- Outstanding strength, wear and dexterity
- Fully textured for enhanced gripping power
- 100/bx
- Size S-2XL (More sizes available)

DISPOSABLE CLOTHING



Dupont ProShield® 50 Coveralls

- Constructed with a soft fabric and excellent breathability, ProShield® coveralls from DuPont help protect against non-hazardous particles and light liquid splash.
- Inherent barrier against particles
- Provide protection against non-hazardous particles and light liquid splash
- Size S-4XL



NB120S

Zipper front

NB122S

Zipper front, hood, boots, elastic wrists and ankle

NB125S

Zipper front, elastic wrists and ankle

NB127S

Zipper front, hood, elastic wrists and ankle



3M™ Disposable Protective Coverall Safety Work Wear

4520

- Protective coverall helps protect against certain light liquid splashes and hazardous dusts
- Lightweight, breathable material helps keep workers cool and comfortable
- Size XL



4530

- Flame resistant treatment offers secondary protection against heat and flame.
- Made with a breathable material that helps reduce heat build-up and promote comfortable wear.
- Size 2XL



4540+

- Protective coverall helps protect against certain light liquid splashes and hazardous dusts
- Microporous PE laminate offers a barrier against hazardous particles and liquid splashes
- Size 3XL



3M

3M 8212 N95 Particulate Welding Respirator with Face Seal

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- Recommended for welding and operations in which metal fumes may be present
- Cake resistant filter layers reduce the caking of particles on the respirator surface
- 10/bx



3M

3M 8515 N95 Particulate Respirator - Welding

- N95 Approved for certain non-oil based particles
- Economical filtering facepiece particulate welding respirator
- 3M™ Cool Flow™ Exhalation Valve
- Flame resistant as demonstrated per modified ASTM D2859
- 10/bx



3M

3M 8214 N95 Particulate Respirator with Face Seal and Nuisance Level Organic Vapor Relief

- Used in applications involving metal fumes
- Carbon filter media reduces exposure to ozone/nuisance level of organic vapors
- Flame resistant per modified ASTM D2859 (not a substitute for a faceshield)
- 10/bx



3M

3M 8511 N95 Particulate Respirator

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator
- Adjustable M-noseclip reduces potential for eyewear fogging
- 10/bx



3M

3M 8211 N95 Particulate Respirator

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- Comfortable foam face seal
- Braided headbands two-strap design with dual point attachment helps provide a secure seal
- 10/bx



Honeywell
NORTH

Honeywell North 14110444 ONE-Fit™ N95 Particulate Respirator

- Designed to resist collapsing after during hours of use
- Molded nose bridge
- Contours with the natural shape of the face, minimizing pressure points
- Dual welded head straps
- 20/bx



MOLDEX

Moldex 2400N95 Particulate Respirator Plus Nuisance Levels of Ozone and Organic Vapors

- 100% PVC-Free®
- Exhale valve lets workers breathe easy and stay cool
- Exclusive Dura-Mesh® shell resists collapsing in heat and humidity



MOLDEX

Moldex 2360P100 Particulate Respirator with Ventex® Valve

- 100% PVC-Free®
- Adjustable cloth straps assure a snug, cool and comfortable fit
- Ventex® valve lets the hot air out faster so workers breathe easier and stay cooler



SAS
SAFETY SYSTEMS

8611 N95 Valved Particulate Respirator

- Exhalation valve reduces hot air build up
- Foam nose cushion
- Dual head straps
- Adjustable metal nose bridge
- NIOSH approved



3M

3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6503QL

- Resilient silicone face seal provides comfort, durability, and stability with a soft but firm seal
- Quick Latch mechanism makes it easy to drop down the respirator from face without removing head straps
- Proprietary 3M Cool Flow valve helps reduce heat and moisture to make breathing easier
- Sizes: Medium, Large



3M

3M™ Half Facepiece Reusable Respirator 6000 Series

- This series combines comfort and convenience
- Comfortable soft, lightweight facepiece with easy-to-adjust head straps
- NIOSH approved for negative pressure air purifying and supplied air dual airline applications
- Can be disassembled, cleaned and reused
- Sizes: Small, Medium, Large

3M

3M™ 2091 Particulate Filter P100

- Exceptional 99.97% filter efficiency meets NIOSH
- 2/pk



3M™ 2097 Particulate Filter P100

- Nuisance Level Organic Vapor Relief & Ozone Protection
- 2/pk



3M™ 6001 Organic Vapor Filter

- Swept-back design for enhanced field of view and balance
- 2/pk



3M™ 6006 Multi Acid Gas/Organic Vapor Filter

- Bayonet compatibility allows use with many 3M half and full facepiece designs
- 2/pk



Honeywell

NORTH



Honeywell North 7700 Series Silicone Half Mask Respirators

- 100% medical grade silicone facepiece
- Dual elasticity headstraps provide a secure and flexible fit.
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace.
- NIOSH Approved.
- Sizes: Medium, Large

Honeywell

NORTH

Honeywell North 7506N95 N95 Particulate Filter

- N95 Non-Oil Particulate Filter (95% minimum filter efficiency) for non-oil based aerosol particulates
- 2/pk



Honeywell North 7580P100 Particulate Filter P100

- P100 filter - protection from all particulates.
- 2/pk



Honeywell North N75001 Organic Vapor Cartridge

- Fits all Honeywell North air-purifying respirators
- 2/pk



MOLDEX

Moldex 7000 Series Respirator Facepiece

- 100% PVC-Free®
- Sleek design for modern, high-tech look and increased worker acceptance
- Light weight design plus extra-wide sealing area provides all-day comfort
- Size: Small-Large



MOLDEX

Moldex 7100 Organic Vapor Cartridge

- 100% PVC-Free®
- Can be used with both 7000 and 9000 series respirators.
- 2/pk



Moldex 7600 Multi-gas/Vapor Smart® Cartridge

- 100% PVC-Free®
- Approved for nine common gas/vapors
- 2/pk



Moldex 8100 Organic Vapor Cartridge

- 100% PVC-Free®
- NIOSH Approved for organic vapors
- 2/pk



HEAD & FACE PROTECTION



MSA V-Gard® Full Brim Hats

- Durable, high-density polyethylene shell
- Fas-Trac® ratchet suspension system
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature (LT) and reverse donning.
- 1/ea
- Colors, White, Yellow (More colors available)



MSA V-Gard® Standard Caps

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® ratchet suspension
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- Multiple colors available



MSA V-Gard® 10052945 Cap, Stars and Stripes

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® III Suspension and slots for better impact resistance and personal comfort
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- 1/ea



MSA 475407 Skullgard® Protective Hat

- Skullgard helmets have been tested to radiant heat loads producing temperatures up to, but not exceeding, 350F.
- Smooth crown for easy use of MSA welding equipment
- Fas-Trac® III Suspension
- 1/ea
- Colors: Natural Tan



NEW!



AboveView™

- Featuring a see-through visor that allows workers to see hazards overhead
- Increases your upper peripheral view by more than 50%
- Flex-Gear® ratchet suspension
- Replacement visors are available in clear, grey and yellow tints
- Meets ANSI/ISEA Classification: Z89.1, Type I, Class E and G
- 1/Ea

R3 # 164803751

R3 # 164803731

R3 # 164803221

Replacement Visors

R3 # 164803961

R3 # 164803991

R3 # 164804031

AVHYRC Yellow

AVPBRC Pacific Blue

AVWHRC White

AVPC Clear

AVPG Gray

AVPY Yellow



3M™ Hard Hat with Uvicator

- 4-point ratchet suspension allows wearer to customize height and fit
- Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E
- Smooth, easy turning ratchet suspension
- UVicator sensor shows when it's time to replace hard hat due to UV exposure
- 1/ea
- Colors: White, Blue, and Yellow



3M™ Hard Hat with Uvicator, Vented

- 4-point ratchet suspension allows wearer to customize height and fit
- UVicator sensor shows when it's time to replace hard hat due to UV exposure
- Vents allow air circulation to keep worker cooler and more comfortable
- ANSI/ISEA compliant when worn in the forward and reverse donning positions
- 1/ea
- Colors: White, Blue, and Yellow



STLW20 Redback® Knee Pads

- Patented Leafspring technology
- Phenomenal compression with 100% recovery to form
- Curved fit around knee
- Eliminates point pressure
- Penetration protection CE EN 14404 Type 2 Level 1
- Maintains 100% Support
- 1/pr



D30® 221-D Premium Flat Cap

- D30® Kneepad Technology
- Flat kneeling surface
- Unique sizing for a customized fit
- Hook & Loop Neoprene split strap closure
- 1/pr



HEAT STRESS



ZERO Qwik Stik

Qwik Stik ZERO is a one-man hydration solution without the sugar or calories. Simply rip open a pack, pour into a bottle of water and let the hydration hit the spot.



Item #	MFG #	Flavor	UOM
10 oz yield packet			
331701425	060203-LA	Lemonade	50/BG
331701455	060205-LL	Lemon-Lime	50/BG
331702005	060200-OR	Orange	50/BG
331712015	060201-MB	Mixed Berry	50/BG
331701465	060202-FP	Fruit Punch	50/BG
331702045	060204-GR	Grape	50/BG
20 oz yield packet			
331760995	060099-SL	Strawberry Lemon	50/BG
331701195	060100-OR	Orange	50/BG
331701205	060101-MB	Mixed Berry	50/BG
331701215	060102-FP	Fruit Punch	50/BG
331701225	060103-LA	Lemonade	50/BG
331701405	060104-PT	Peach Tea	50/BG
331701415	060105-RB	Raspberry	50/BG
331711065	060106-LL	Lemon-Lime	50/BG
331711075	060107-GR	Grape	50/BG
331711095	060109-CC	Cool Citrus	50/BG
33176119	060119-AS	Assorted Flavor	200/cs



QwikServ

Squincher QwikServ pouches are perfect for people who want to keep it simple. Just pour the portable powder into a ½ liter bottle of water whenever you get the urge.



Item #	MFG #	Flavor	UOM
QwikServ - 16 oz yield			
33170900	060900-OR	Orange	96/cs
33170901	060901-FP	Fruit Punch	96/cs
33170902	060902-LL	Lemon-Lime	96/cs
33170904	060904-GR	Grape	96/cs



5 Gallon OSHA Beverage Cooler

- Antimicrobial liner resists odor, mold, mildew and fungus on the product
- Attached cup dispenser
- Oversized, comfort-grip handles for easy, controlled lifting and carrying
- Tethered, screw-top lid stays secure when closed and conveniently close when open
- Easy-use faucet lets you conveniently fill your drink
- 1/ea



3-Piece 54 Quart Cooler Combo

Includes: 54 Qt Performance Cooler, 5 Qt FlipLid™ Cooler, and 1/3 Gallon Beverage Cooler

- 54 Qt Performance Cooler: Holds 63 cans and has a leak-resistant channel drain for easy draining without tilting the cooler
- 5 Qt FlipLid™ Cooler: Holds 6 cans, and has a FlipLid™ reversible hinged lid turns this cooler into a mini table
- 1/3 Gallon Beverage Cooler: Flip open cap makes it easy to grab a drink, and screw-top lid stays secure on your adventures
- 1/ea



LIGHTING



Pelican 2690 LED Hard Hat Light

- Includes 3 AAA batteries
- Length: 2.871"
- Certification C1 II III, D1
- Lumens up to 74
- Run time up to 11h
- 1/ea



Pelican 9435 Remote Area Light

- Up to 15 hours of run time
- 3000 lumens of brightness
- Maintenance Free LED Array with life expectancy of 50,000 hours
- Fully extendable mast with 360 degree rotating head
- Low Battery Warning System
- Waterproof Rubber Activation Switch
- Mast Extension Lock
- RoHS and CE Compliant
- 1/ea



INDUSTRIAL CLEANERS



42272 SCRUBS® IN-A-BUCKET

- Advanced cleaning formula with a strong, dual-textured towel
- Clean, citrus fragrance
- Advanced cleaning power
- For use on hands and surfaces
- No sticky residue
- 1/ea



26832 Spray Nine® Multi-Purpose Cleaner & Disinfectant

- Cleans
- Degreases
- Disinfects against virus and bacteria
- Sanitizes in 10 seconds
- Deodorizes and removes stains
- Controls mold & mildew
- 12/cs

FIRST AID



ZOLL 8000-004000-01 AED Plus Semi-Automatic Defibrillator

- For use with M Series, E Series, R Series, AED Plus, AED Pro.
- This SKU comes with the following:
 - ZOLL AED Plus w/AED Cover
 - PlusTrac Professional 5
 - CPR-D-padz Electrode
 - Pack of 10 CR 123a batteries
 - Carry Case
- 1/ea



19700-0001L - Plastic Bulk First Aid Kit, 10 Person

- Includes a wide variety of first aid items:
 - Multiple size bandaids
 - Adhesive Tape
 - Gauze pads
 - Antimicrobial towelettes
 - First aid/burn cream
 - Scissors
- All kits are waterproof and are available in plastic
- ANSI Z308.1 compliant
- 1/ea

WATER SAFETY

Flotation Vests Ideal for Bridge and Dam Construction



Coleman 3000003509 Inflatable Work Vest

- USCG Approved Work Vest
- Heavy Duty puncture resistant outer shell wipes clean
- Tri-fold Design for easy repacking
- 31.5 sq in of reflective tape
- Fall Protection Harness opening in back
- Automatic Inflator with clear viewing window
- 1/ea
- Size Universal



Coleman 6141ORG Low-Profile Life Vest

- US Coast Guard-approved life jacket
- Large armholes and a short cut for easy movement
- Large front zippered pockets, D-ring and knife park to store gear
- Customizable fit— elastic side panels and cushioned shoulder straps
- Durable construction— Suisse Aire™ Flotation Foam and rugged Cordura® Fabric outer shell
- Sizes: M-2XL



Coleman I4050RG Welder's Vest

- US Coast Guard-approved
- Tough fiberglass shell suitable for marine welding
- Breathable marine mesh lining wicks away moisture
- Oversized armholes, adjustable sides and rustproof Vision® zipper for a more comfortable fit
- Aquafoam™ Flotation Foam retains buoyancy even when punctured
- 15.5 lbs. (69 Newtons) of buoyancy
- USCG Type III vest
- 1/ea
- Size Universal