

INDUSTRIAL SAFETY PRODUCTS

Volume 3 - Issue1



Bollé Safety Tracker

- Upper protection
- Removable foam reinforcement with indirect ventilation
- Lower protection
- · Removable adjustable strap
- Side ventilation
- 1/ea

40085 Clear, Anti-scratch/Anti-fog 40086 Smoke, Anti-scratch/Anti-fog 40088 Twilight, Anti-scratch/Anti-fog

40089 Welding Shade 5, Anti-scratch







Spray Nine® 26832 Multi-Purpose Cleaner & Disinfectant

- Cleans
- Degreases
- · Disinfects against virus and bacteria
- Sanitizes in 10 seconds
- · Deodorizes and removes stains
- Controls mold & mildew
- 12/cs



3M™ SecureFit™ SF201AS

Protective Evewear

- 3M Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes
- Provides comfortable, durable, lightweight eve protection
- Secure, snug fit keeps eyewear in place without slippage even when the person is in motion
- · Anti-scratch coating helps protect lenses
- 1/ea



MOLDEX

Moldex 6845 Pura-Fit® PlugStation®

- 100% PVC-Free®
- Highest Independently tested NRR 33
- Tapered for easier insertion
- Non-irritating, smooth surface
- · Longer length for easy fitting and removal
- 500 Pairs per Dispenser
- 1/ea



MOLDEX

Moldex Pura-Fit® Foam Earplugs

- 100% PVC-Free®
- Highest Independently tested NRR 33
- Tapered for easier insertion
- Non-irritating, smooth surface
- Longer length for easy fitting and removal

GREAT FOR JOB SITES

6800 Uncorded 200 pr/bx 6900 Corded 100 pr/bx





MSA 475407 Skullgard® Protective Hat

- Skullgard helmets have been tested to radiant heat loads producing temperatures up to, but not exceeding, 350F.
- Smooth crown for easy use of MSA welding equipment
- Fas-Trac® III Suspension
- 1/ea
- Colors: Natural Tan



FIAMM 65805 Mega Blast Siren Horn

- Rechargeable via the included USB plug and adapter
- Extremely loud: 122dB
- Works in extreme cold, when regular air horns stop working
- Weatherproof & shock resistant solid state electronics
- Meets U.S. Coast Guard requirements
- No need to replace air canisters, or carry an air pump to re-fill
- 1/ea













FIAMM 6580823 Big Horn Air Horn

- · Environmentally friendly
- Output of 125 decibels, at 1 meter
- Ideal for construction work sitesMeets all coast guard requirements
- 12/cs

Honeywell

Honeywell North 7700 Series Silicone Half Mask Respirators

- Flexible medical grade silicone facepiece
- Dual elasticity headstraps provide a secure and flexible fit.
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace.
- · NIOSH Approved.
- · Sizes: Small, Medium, Large



Honeywell

Honeywell North 7580P100 Particulate Filter P100

- P100 filter protection from all particulates.
- 99.97% filter efficiency
- 1 pair



Honeywell North 7583P100L Organic Vapor & Acid Gas Cartridge with P100 filter

- Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide and P100 Cartridge/Filter Combination
- 1 pair



Honeywell North 75SCP100L Defender™ Multi-Purpose Respirator Cartridges

- Organic vapors, ammonia, methylamine, formaldehyde and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride and chlorine dioxide); and 99.97% filter efficiency for all particulates
- 1 nai



Honeywell North N75001 Organic Vapor Cartridge

- · Protection against organic vapors
- Pad filters and adapters sold separately; see below for N95 filter. Required N750036 filter cover
- 1 pair

Honeywell North 75SCL Defender™ Multi-Purpose Gas & Vapor Respirator Cartridges

- Defender Multi-Purpose Cartridge for Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine and Formaldehyde
- 1 pair

Honeywell North 7506N95 N95 Particulate Filter

- N95 Non-Oil Particulate Filter (95% minimum filter efficiency) for non-oil based aerosol particulates
- 1 pair



3M

3M[™] Full Facepiece Reusable Respirator 6000 Series

- · Large lens provides a wide field of view
- Lightweight well-balanced design and silicone faceseal for enhanced comfort, durability and ease of cleaning
- Center adapter directs exhaled breath downward
- 3M Cool Flow™ Valve makes breathing easier to provide cool, dry comfort
- · Sizes: Small, Medium, Large



3M™ 60921 Organic Vapor Cartridge/Filter P100

- Swept-back design allows an enhanced field of view and comfort
- 2/pk





MSA

MSA[™] Advantage[®] 200 LS Half-Mask Respirator

- Thermoplastic rubber increases softness and decreases weight
- · Multiflex system equalizes facial pressure
- AnthroCurve conforms to each user's face
- · Sizes: Small, Medium, Large



MSA

MSA™ Advantage® 420 Half-Mask Respirator

- Respirator boasts several features to increase comfort & provide customized fit
- Four-point yoke and harness design
- Easily switches between lock-down and drop-down mode
- · Sizes: Small, Medium, Large



Moldex 7000 Series Respirator Facepiece

- 100% PVC-Free®
- Sleek design for modern, high-tech look and increased worker acceptance
- Lightweight design plus extra-wide sealing area provides all-day comfort
- · Sizes: Small, Medium, Large



MOLDEX

Moldex 7100 Organic Vapor Cartridge

- 100% PVC-Free®
- Can be used with both 7000 and 9000 series respirators.
- 2/pk



- 100% PVC-Free®
- P100 Particulate filter disks allow for wider field of vision because of low profile design
- 2/pk







3M[™] 8577 P95 Particulate Respirator with Nuisance Level Organic Vapor Relief

- NIOSH approved for at least 95 percent filtration efficiency against certain oil and non-oil based particles
- Carbon layer reduces exposure to nuisance levels of organic vapors
- 10/bx



3M™ 8247 R95 Particulate Respirator with Nuisance Level Organic Vapor Relief

- NIOSH Approved R95
- Carbon layer helps reduce nuisance levels of organic vapors
- · Advanced Electrostatic Media
- 20/bx



3M™ 8515 N95 Particulate Respirator - Welding

- 3M™ Cool Flow™ Exhalation Valve reduces heat build-up inside the respirator
- Flame resistant per modified ASTM D2859 (not a substitute for a faceshield)
- 10/bx



Honeywell NORTH

Honeywell North ONE-Fit™ N95 Particulate Respirator

- Designed to resist collapsing after during hours of use
- Molded nose bridge
- Contours with the natural shape of the face, minimizing pressure points
- · Dual welded head straps
- 20/bx



Honeywell

Honeywell North ONE-Fit™ N95 Particulate Respirator with Exhalation Valve

- Exhalation valve
- Molded nose bridge
- Strong and rigid outer shell
- Dual welded head straps
- 20/bx





8611 N95 Valved Particulate Respirator

- 95% filter efficiency level effective against particulate aerosols free of oil; time use restrictions may apply
- · Adjustable metal nose bridge
- NIOSH approved
- 10/bx





Moldex 4200N95 Series AirWave® Disposable Respirator

- Exclusive easy-breathing wave design
- Softspun® lining for increased comfort and durability.
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.
- 10/bx





MSA™ ALTAIR® 4X Multigas Detector

- Dependable multigas detector tests for LEL, oxygen, carbon monoxide, hydrogen sulfide, sulfur dioxide and nitrogen dioxide
- Four-year sensor life means detector lasts 60% longer than the industry average
- Unit uses 50% less calibration gas per minute than the average detectors within the industry
- Ribbed rubber housing provides secure grip and high durability
- 1/ea





Dupont TY120SWH Tyvek® Coveralls

- Serged Seams, Collar, Front Zipper Closure with Storm Flap, and Elastic Waist
- Composed of flash spun high density polyethylene provides an ideal balance of protection, durability and comfort of any limited use fabric technology.
- Inherent barrier against particles
- Size M-5XL



MSA

MSA V-Gard® Standard Caps & Hats

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® ratchet suspension
- Includes Cushionaire[™] sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- · Many colors available
- 1/ea




MCR 103 Ratchet Take Up Headgear

- Brackets accepts most manufacturers' face shields
- · Brackets accepts most universally punched faceshields
- 1/ea



MCR 181560 Faceshield

- Clear Polycarbonate Faceshield
- 8"x15.5"
- 1/ea



Jackson Safety* 14975 Fixed Shade W10 HSL 100 Welding Helmet

- Features a narrow shell design that's perfect for work in tight spaces
- Extended front, which increases throat protection
- Durable shield is hard hat adaptable
- Large field of view for a clear view of the weld puddle
- · For use in mig welding, arc welding and tig welding
- Meets ANSI Z87.1 2010 standards and is CSA compliant
- 1/ea



Weldas 20-3200 SWEATSOpad® **Hard Hat Welding Sweatbands**

• 1/Ea

· Reduces irritation from hard hats or other headgear

Bullard Bullard AboveView™

hazards overhead

that allows workers to see

view by more than 50%

• Replacement visors are

vellow tints

Meets ANSI/ISEA

Class E and G

· Many colors available

available in clear, grey and

Classification: Z89.1, Type I,

- · Outer lining is made of all fleece cotton and is comfortable to wear in the summer or winter months
- Flame retardant for the safety of the welder
- Universal size that fits nearly any brands of hard hats or other headgear
- 1/ea





Jackson Safety* 25672 V50 Calico Polycarbonate Anti Fog Safety Eyewear

- Lightweight "wraparound" design for added protection
- Impact resistant polycarbonate lens
- . EN166 N anti-fog coating
- 1/ea



Jackson Safety* Nemesis* Safety Glasses

- Sporty, flexible, lightweight design
- Polycarbonate lenses provide 99.9% UVA/ UVB/UVC
- Meets ANSI Z87.1+ standards
- 1/ea

25676 Black Frame, Clear, Hardcoated 25679 Black Frame, Clear, Anti-fog



3M

3M™ Virtua™ 11872-00000-20 **CCS Protective Eyewear**

- · Unique temple design controls and holds the cord of the earplug to keep it securely in place and untangled while in use
- Wraparound design provides extended eye protection and unobstructed viewing
- Polycarbonate lenses absorb 99.9% UVA and UVB
- 1/ea





MCR LCT Lens **Cleaning Towelette**

• 100 Towelettes Wrapped in Individual Packets per Box





MCR Bearkat®

- · Single lens design with integral side shields for unobstructed view
- Non-Slip soft temple material
- Exclusive Duramass® scratch resistant coating
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays
- ANSI Z87+ and CSA Z94.3
- 1/ea

BK110 Clear Lens BK110AF Clear Anti-Fog Lens



Showa ATLAS 300

- Palm-dipped natural rubber coating
- Cotton polyester liner
- · Rough textured grip
- Elastic knit wrist cuff
- 12/pk
- Size S-XL



WELLS LAMONT Industrial

Wells Lamont 962 Grain Deerskin

- Soft, supple flexible gold grain deerskin
- Keystone thumb
- · Leather bound
- Double shirred wrist
- Gunn cut
- 12/pk
- Size S-XL



C Kimberly-Clark PROFESSIONAL

JACKSON SAFETY* G60 Purple Nitrile Cut Resistance Gloves

- Enhanced dexterity, grip and comfort
- For industrial employees who need protection against hand cuts
- Made of Dyneema fabric, an extremely strong fiber
- Provide a high level of cut resistance ANSI Level 3
- 24/cs
- Size M-2XL



Dironclad

Ironclad GUG General Utility™

- Synthetic Leather Reinforcements in critical areas for maximum durability
- Hybrid Cuff System and TPR Cuff Puller
- Patented Palm Design for excellent dexterity and durability
- Terry Cloth Sweat Wipe conveniently located on the back of the thumb
- 1/pr
- Size S-2XL



Ansell

Ansell HyFlex® 11-541 Light Duty Cut Protection Gloves

- Ultralight weight glove that offers unparalleled dexterity and refined mobility
- ZONZ™ knitting technology uses selected yarns and varying stitch designs to tailor overall glove fit
- Dirt masking palm for longer wear times
- ANSI Cut Level 4
- 12/pk
- Sizes: L-XL





MCR 9673 Memphis™ Gloves

- Seamless 13 gauge gray nylon shell
- Black nitrile foam dipped palm and fingers
- Great dexterity, flexibility, and movement
- Breathable and cool and offers comfort and grip.
- 12/pk
- Size M-XL





SAS Raven™ Nitrile Glove, 6mil

- Powder-free
- Outstanding strength, wear and dexterity
- Black
- 100/bx
- Sizes: S-2XL





Kimberly-Clark KleenGuard® G10 Blue Nitrile Gloves

- · Latex-free & non-hypoallergenic
- Non-Sterile
- Ambridextrous
- Powder-free
- 100/bx
- Sizes XS-XL



? TRADEX

3 Mil Blue Nitrile Powder Free Glove

- Lightweight for improved dexterity and reduced hand fatigue
- Meets or exceeds ASTM and FDA examination glove standards
- Passes ASTM F1671 test standards for resistance to penetration of blood borne pathogens
- · Textured surface for improved grip
- Complies with 21 CFR parts 170-199 for food contact
- 100/Bx



TRADEX

4 Mil Blue Nitrile Powder Free Glove

- Resists a variety of chemicals and animal fats
- Not made with natural rubber latex
- Textured surface for improved grip
- Complies with 21 CFR parts 170-199 for food contact
- 100/Bx



∂TRADEX

4 Mil Latex Powder Free Gloves

- Natural fit and comfort
- Textured surface for improved grip
- Complies with 21 CFR parts 170-199 for food contact
- 100/Bx





Coleman 3000004064

5 Gallon OSHA Beverage Cooler

- · Antimicrobial liner resists odor, mold, mildew and fungus on the product
- Attached cup dispenser
- · Tethered, screw-top lid stays secure when closed and conveniently close when open
- 1/ea





Coleman 3000000733

5 Gallon Cooler

- Drip resistant, removable, dishwasher safe spout
- · Screw top lid
- Interior dimensions: 9.87 in . x 16.62 in.
- ThermOZONE™ Insulation contains no CFCs, HFCs or HCFCs, which deplete the ozone
- 1/ea



ZERO Qwik Stik®

- · Single-serving
- · Replenishes fluids and electrolytes lost during physical work
- · Contains no sugar or calories
- 50/bg

10 oz yield packet

Lemonade
Lemon-Lime
Orange
Mixed Berry
Fruit Punch
Grape



20 oz yield packet

060099-SL	Strawberry Lemo
060100-0R	Orange
060101-MB	Mixed Berry
060102-FP	Fruit Punch
060103-LA	Lemonde
060104-PT	Peach Tea
060105-RB	Rasberry
060106-LL	Lemon-Lime
060107-GR	Grape
060109-CC	Cool Citrus
060119-AS	Assorted Flavor*
* Accorted Flavo	r is nackaged in Owi

Assorted Flavor is packaged in Qwik Stik tubes that are 10 sticks per tube and 20 tubes per case



QwikServ®

- · Electrolyte replacement drink is low in sodium, non-carbonated and contains no caffeine
- Simply pour powder mix from the convenient pack into 16.9 oz. bottled water and shake

16 oz yield packet				
060900-OR	Orange			
060901-FP	Fruit Punch			
060902-LL	Lemon-Lime			
060904-GR	Grape			











WCCL2L - Safety Vest, Class 2

- 4.5" orange/silver reflective stripes
- · Fluorescent lime polyester mesh material
- Zipper front
- 2 inner pockets
- ANSI/ISEA 107-2015 Class 2, Type R compliant
- Size S-4XL



FRMBCL2L - Flame Resistant (FR) Safety Vest

- FR Solid Modacrylic/Aramid blend fabric, fluorescent lime
- ANSI/ISEA 107-2015 Class 2, Type R compliant
- 2" Silver FR Reflective Stripes
- 5 Point Break Away feature, Hook and Loop closures
- Conforms to NFPA 70E, HRC1, arc rating 5.4 cal/cm2, meets ASTM F1506
- Size M-4XL





75-3201 High Visibility Mesh Vest, Class 2

- · High visibility yellow polyester mesh vest
- · Includes one inside chest pocket and two inside waist pockets
- Zipper front closure
- 2" reflective striping
- Meets ANSI/ISEA 107-2015 Class 2, Type R Standard
- Size M-3XL





75-3226 High Visibility Vest, Class 2

- . High Visibility Orange Mesh Two-Tone Vest
- DOT Striping with 3M® Reflective
- D-Ring Pass Through
- Two Waist Pockets with Velcro Closures
- Two Radio Tabs
- Meets ANSI/ISEA 107-2015 Class 2, Type R Standard
- Size M-3XL





3M[™] PROTECTA® PRO[™] 1191210 Construction Style Positioning Harness

- Back D-ring
- · Body belt/hip pad with side D-rings
- Tool and equipment rings
- Tongue buckle leg straps
- · Parachute torso adjusters
- Durable polyester web construction
- Built-in lanyard keepers
- Sizes: Large-XL More sizes Available







The Safety Company MSA 10072479 Workman® Harness

- Integral lumbar support pad for work positioning and comfort.
- · Back D-ring
- · Qwik-Fit leg straps
- Qwik-Fit chest strap
- Standard size
- Web retainer collars to keep excess webbing neat





MSA 10072487 Workman® Harness

- Integral lumbar support pad for work positioning and comfort.
- Back D-ring
- Tongue Buckle leg straps
- Qwik-Fit chest strap
- Standard size
- Web retainer collars to keep excess webbing neat



125 Value Contoured Hard Cap

- Heavy Duty Protection
- EVA foam padding provides support and protection
- PE plastic hard cap
- Durable polyester and tricot fabrics
- . Hook & Loop closure
- 1/pr





122 Premium Flat Cap Gel Pads - Clear Soft PVC Cap

- Gel-injected EVA foam padding to absorb impact and provide superior comfort
- · Flat kneeling surface
- Polyester, Jersey and Neoprene fabrics
- Hook & loop neoprene split strap closure to avoid bunching and slipping
- 1/pr



126 Classic Wide Knee Cap

- Ideal for spreading grout, finishing concrete, and most other surfaces
- EVA foam padding for comfort and cushioning
- Wide flexible PVC cap provides broad area of protection, durability, and ergonomic fit
- 1/pr





SCRUBS

91930 SCRUBS® Stainless Steel Cleaner Towel

- Clean, polish, brighten and protect all in one step
- Prevents water marks and corrosion and preserves the high luster of stainless steel
- 1/ea





42272 SCRUBS® IN-A-BUCKET

- Advanced cleaning formula with a strong, dual-textured towel
- Clean, citrus fragrance
- · Advanced cleaning power
- For use on hands and surfaces
- No sticky residue
- 1/ea



SCRUBS

90985 SCRUBS® Hand Sanitizer

- Kills 99.9% of Germs
- Dissolves Bio-film
- Prevents cross-contamination
- Helps reduce the risk of infection and disease
- 1/ea





2003 - Classic, .35mm PVC/Polyester 3 pc suit

- 3 piece suit includes jacket with detachable hood and bib pants
- Take up snaps on the wrists and ankles
- · Snap front jacket
- Bib pant with fly front
- Size S-7XL





BYR100 - Yellow Rubber **Slush Boots**

- · Adjustable strap on top
- · Wear over the shoe by ordering 2 to 3 sizes above shoe size
- · Lined for comfort and ease of putting on/off
- · Cleated ripple sole for grip
- Size 12-15



3M™ Performance Yellow Masking Tape 301+ and Performance Green Masking Tape 401+

- Proprietary, solvent-free adhesive formula removes cleanly in one piece with no adhesive residue
- · Resists paint bleed-through to help create good paint lines
- · Sticks with confidence on rubber moldings, plastic, glass, wood, concrete, metal and painted surfaces
- · Many sizes available



3M™ Super 77 **Multipurpose Adhesive**

- · Aggressive tack provides high initial grab, with enough time to position materials properly
- Transparent spray formula
- · Industrial sized can provides high coverage
- 12/cs



3M™ Duct Tapes

- Designed for general use in MRO/construction applications
- · Sticks immediately and stays on for up to one year without deterioration

Description	Thickness	Size
Value 1900	5.8mm	48mm x 54.8m
Multi-Purpose 3900	7.6mm	48mm x 54.8m
Extra Heavy Duty 3939	8.6mm	48mm x 54.8m
Extra Heavy Duty 6969	10mm	48mm x 54.8m



Scotch® 06132 Super 33+™ Vinyl **Electrical Tape**

- The combination of the pressure-sensitive, rubber-resin adhesive and the PVC backing offers electrical and mechanical protection
- Tensile strength rating of 15 lbs. per inch meets professional electrical standards
- 34 in. x 66 ft
- 1/rl



ALLEGRO

• Hi-Viz green color

• 1/ea

Allegro 9403-66 Work Tent

· Large door and two large windows

• 360° reflective striping for safety

· Four external straps for securing

Setup/ breakdown in seconds (6'd x 6'w x 7'h)



I468ORG Versatile™ Vest

- US Coast Guard-approved Type III performance
- · Four roomy hook-and-loop pockets
- · Couple D-rings and eyelets to attach safety equipment
- 3M[™] Scotchlite[™] Reflective Material
- 1/ea
- Size Large





ZOLL

ZOLL 8000-004000-01 AED Plus

- · Semi automatic
- . Durable and Dependable (one of the toughest AED devices available, backed by a seven year warranty).
- · Easy for non-professionals to use with clear audio/visual support.
- Low Maintenance Cost
- 1/ea



2000011357 Work Zone Gear™ Life Vest

- US Coast Guard-approved Type III
- Durable construction—lightweight Crosstech® flotation foam and polyester outer shell
- . Two body straps and zippered front for a customized fit
- · Large arm holes and low necklines for easy movement
- . D-ring for attaching gear
- 1/ea
- Size Large





5135 Portable Low-Profile **Eyewash Station**

- One-hand operation
- · Gravity fed, no plumbing required
- . Holds 15 gallons of water
- 15-minute flushing period
- · Mounting bracket, inspection tag and preservative included
- Meets Ansi Z358.1-1998
- 1/ea